COMPUTATIONALLY BASED APPROACHES TO CONSEQUENTIAL LCA: AGENT BASED AND ECONOMIC MODELLING


62nd Swiss Discussion Forum | September, 9th 2016 ETH Zürich

Antonino Marvuglia, Tomas Navarrete Gutierrez, Elorri Igos, Benedetto Rugani, Florent Querini, Paul Baustert, <u>Enrico</u> <u>Benetto</u>



INTRODUCTION Consequential LCA of complex/large systems

- Consequential Life Cycle Assessment
 - "... activities are included in the product system to the extent that they are expected to change as a consequence of a change in demand for the functional unit" (UNEP, 2011)
- Foreground consequences modelled (over time, not only at long term market equilibrium)
- Background consequences reflect changes of suppliers (e.g. marginal suppliers)







- Complex Systems
- Great number of heterogeneous entities
- Interactions among entities
- Multiple levels of organization and structure
- Foreground CLCA modelling of complex/large systems
 - Partial/Computable General equilibrium models (economy driven)
- Behavior modeling (behavioral rules driven)

RESEARCH HYPOTHESIS AND OBJECTIVES

Hypothesis

"Consequential LCA using computationally based LCI modelling can effectively support (policy) decision
 making"

Research objectives

- <u>Energy policy</u>: "what are the environmental consequences of a GHG emissions policy implementation in the energy mix as compared to BAU"
 - Cut of 2.5% of GHG emissions each year following energy policy
- <u>Electromobility policy</u>: "what are the environmental consequences of policy actions (subsidies, infrastructure deployment, multi-modal scenarios) implementation on the mobility system, with special focus on commuters' mobility ?"
 - 150k commuters per day (resident population: 537k)
 - Dejective 2020: 40k electric vehicles, multimodality interconnections (tramway, trains)
- <u>Agricultural policy</u>: "what are the environmental consequences of an additional production of 145GWh of biogas from an additional demand of 80kt of maize as compared to BAU?"
 - 20/20/20 EU targets Luxembourg: 11% biofuels in final energy consumption.
 - Limited land use potential, high energy consumption rate, increasing energy imports from neighbouring nations


METHODS

Bottom up (agent based) vs. Top Down (economic modelling)

ISSUE	TOP-DOWN	BOTTOM-UP
Objectives 🗾	Maximise Profits	Maximise Profits
	Environmental Protection	Environmental Protection
Number of players	Normally 1 or few but can be 2242 ^(*) in principle	2242 ^(*) Agents or Farms
Price discovery	Any time-series method	Any time-series method
Parameters	Fixed, but in case of 2242 farms, random if data unavailable, else fixed	Random if data unavailable, else fixed
Model Structure	Objective function and constraints (LP/NLP) or just objective function (PMP)	No objective function but behavioural rules and individual responses
Shock	Exogenously imposed as direct change or indirect change via policy tool like subsidy, quotas	Only possible via policy tool like subsidy, quotas
Social Interaction	Feasible but difficult	Easily incorporated

(*)There were 2242 farms in Luxembourg in 2009


METHODS Bottom up (ABM) vs. Top Down (economic modelling)



AGRICULTURAL POLICY Method

Deltas $(t_0 - t_n)$

Navarrete Gutiérrez T., Rege S., Marvuglia A., Benetto E. Sustainable farming behaviours: an agent based modelling and LCA perspective. In: Alonso Betanzos et al. (Eds), Agent-Based Modeling of Sustainable Behaviors. Springer, Berlin, 2016.



LIST.lu

AGRICULTURAL POLICY Scenarios

ID	Short name and acronym	Description	GC Probability density function
А	Greedy (NO_GC)	All the agents always look only at the revenue when they have to decide what crop to plant. They plant the one maximizing the revenue.	
в	All green (ALL_GR)	All the agents look at CO2 emissions when they have to decide what crop to plant. They plant the one with the lowest CO2 emissions	
с	Equal green consciousne ss (UNI_GC)	The GC is distributed among the agents with a uniform distribution, i.e. all the real values of GC in the interval [0,1] have the same probability to be assigned to an agent and the average of all the assigned values of GC is equal to 0.5.	
D	Pessimistic (PESS)	The GC is distributed to the agents with a Beta probability function, whose mean value is lower than 0.5. This means that the probability that an agent will be assigned a GC<0.5 is higher than the probability that he will be assigned a GC>0.5.	3.0 2.5 1.5 0 0.102030.405500.0700091 x
E	Optimistic (OPT)	The GC is distributed to the agents with a Beta probability function, whose mean value is higher than 0.5. This means that the probability that an agent will be assigned a GC>0.5 is higher than the probability that he will be assigned a GC<0.5.	$\alpha = 5$ $\beta = 1$
F	Relative greenness (REL_GRE)	The green behaviour (which only looks at CO2 emissions of the crops) is implemented on the basis of the environmental performance of the agent relative to the other agents.	



ENERGY POLICY Context and Method



statec

Institut national de la statistique et des études économiques

Igos E., Rugani B., Rege S., Benetto E., Drouet L., Zachary D., 2015: Combination of equilibrium models and hybrid life cycle-input-output analysis to predict the environmental impacts of energy policy scenarios. Applied Energy 145, pp.234–245.

ETEM: bottom-up partial equilibrium model for Luxembourg energy sector: 20 energy commodities: 650 technologies: Most cost-efficient energy system until 2030 (calibration WIOD 2006). Inventory of energy technologies: NEEDS extensions Phys/US\$ 1 US\$/US\$ 1 energy services economic outputs Phys/US\$ or € Demand forecast Characterization ETEM LUXGEM Imported goods and New EE-IOT services phase: (39×39) Environmental Demand system parameters Energy intensity Impact Assessment €/€ 1 Share parameters (ReCiPe) Phys/Phys + Phys/€ Phys/€ LUXGEM > Final EE-IO Phys/ **Hybrid IOT Energy sector** model (16×16) Dom. production Dom. production € net consumption LUXGEM: Dynamic multi-sector general equilibrium + Imports + Imports ETEM > IO based model for Luxembourg; 16 branches of activity, 20 €/€ Phys/Phys Mixed Unit hybrid LCA commodities, 1 representative household

Response to prices: changes in consumption from elasticity of substitution

LIST.Iu

8


ENERGY POLICY Results






STATEC **European Union** European Regional Development Fund

Institut national de la statistique et des études économiaues





General analysis

- Increase of impacts over time due to demand growth
- Main impacts from imports (~70% HH and eco and 100% resources)
- Energy production and imports > 50% impacts

Comparison of scenarios

- GHGr impacts ~2-3% lower than BAU impacts
- Very small difference for other sectors and imports than energy
- GHGr advantage mainly due to lower energy production from natural gas (lower CO₂ emissions and extraction of natural gas)


ENERGY POLICY Results





STATEC **European Union**

Institut national de la statistique et des études économiaues



General analysis

- Some impact categories (climate change, ozone depletion, fossil depletion) improved with GHGr
- Others not (eutrophication, ionising radiation) due to increase of nuclear energy imports (from BE)

Focus on 4 impacts:

- Net consumption's impacts increase while energy sector intensity impacts decrease over time
- GHGr advantage ~7% on climate change, 6% on CED, 1% on land and water use.

ENERGY POLICY **Conclusions for policy makers**






European Regional Development Fund

Institut national de la statistique et des études économiques

- Comparison GHGr and BAU : benefit from lower production from natural gas but counter-balanced by higher electricity imports (especially nuclear energy).
- Large contribution of imports, as well as energy-related processes.
- While the total net consumption shows greater impacts over years due to demand growth, the energy sector intensity shows lower impacts due to efficiency improvements.
- Environmental profile of net consumption of Luxembourg: similar trends between the BAU and GHGr scenarios, with only marginal environmental benefits for the GHGr scenario (3–4% overall).
- Implementation of the GHG reduction policy has low influence on the net consumption

MOBILITY POLICY Context and Method

Official target: 40,000 EVs (2020) 5,000€ CARe incentive for buying an EV ⁽³⁾ EV internet dedicated platform ⁽⁴⁾ Charging places deployment everywhere




Dynamic final demand vector

- Agents represent consumers/actors
- Models behavior in changing market

vs. Dynamic technology matrix (Davis et al., 2009)

- Agents represent technologies/processes
- Models structural changes of market




LCA of every individual car simulated in the ABM

MOBILITY POLICY

Results


Querini F., Benetto E. Agent-based modelling for assessing hybrid and electric cars deployment policies in Luxembourg and Lorraine. Transportation Research Part A: Policy and Practice. DOI: 10.1016/j.tra.2014.10.017



deployment scenario - no interaction

LIST.lu

MOBILITY POLICY Results



Querini F., Benetto E., 2015. Combining agent-based modeling and life cycle assessment for the evaluation of mobility policies. Environmental Science and Technology, 49, 1744-1751.

14


MOBILITY POLICY Conclusions for policy makers

Drivers	Luxembourg	Lorraine
1st driver	Charging infrastructure	Charging infrastructure
2 nd driver	EV appealing	Vehicle life
3 rd driver	Vehicle life	Vehicle costs

Recommandations

- Have larger infrastructure deployment. The very uncertain nature of EV deployment leads to high uncertainties on the environmental consequences,
- **Extend the lifetime of batteries**, by for instance promoting their reuse in other applications before dismantling and recycling.
- Considering the results obtained for the German mix, we recommend to Luxembourg's stakeholders to keep the renewable electricity policy

WHAT ABOUT THE RELATED UNCERTAINTIES? Methods



NEW METHODOLOGICAL PROPOSAL


- Uncertainty Sources:
 - Parameter uncertainty
 - Model uncertainty
 - Choice uncertainty
 - Simulation variability



- Nomenclature:
 - λ is one concrete instance of:
 - Parameters P_M and P_L
 - Choices C_M and C_L
 - Model structures A_M and A_L
 - r_M still vary due to simulation

P. C. PhD Thesis Paul Baustert

First test bed case presented at SETAC Case Studies Montpellier





Prof. H. Timmermans

"All models are wrong, but some are useful" (Box & Draper, 1987. Empirical Model Building and Response Surfaces, Wiley & Sons, New York, NY., page 424).

THANK YOU FOR THE FINANCIAL SUPPORT:



Luxembourg National Research Fund



LE GOUVERNEMENT DU GRAND-DUCHÉ DE LUXEMBOURG Ministère de l'Intérieur et de l'Aménagement du Territoire

Direction de l'aménagement du territoire





LIFE CYCLE MANAGEMENT CONFERENCE – LCM 2017

www.lcm2017.org

LUXEMBOURG – 3-6 SEPTEMBER 2017





Action of the second se

LIST.lu

1,000 900 800 Electricity hourly demand (MW) 700 600 500 400 300 200 100 0 Tuesday Friday Sunday Monday Wednes. Thursday Saturday